

# UK Prices

1st May 2005



## Straight Lengths

Format	Code	Length	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
Ladder	1 LD 200	0.2m	0.45	21.00	34.00	47.00
	1 LD 400	0.4m	0.59	23.00	36.00	49.00
	1 LD 600	0.6m	0.80	27.00	41.00	55.00
	1 LD 800	0.8m	0.97	31.00	44.00	57.00
	1 LD 1000	1.0m	1.14	33.00	46.00	59.00
	1 LD 2000	2.0m	2.00	50.00	76.00	102.00
	1 LD 3000	3.0m	2.86	66.00	106.00	146.00
	1 LD 4000	4.0m	3.72	88.00	141.00	194.00
	1 LD 5000	5.0m	4.57	110.00	176.00	242.00
	Truss	1 TR 200	0.2m	0.70	42.00	58.00
1 TR 400		0.4m	0.99	46.00	63.00	80.00
1 TR 600		0.6m	1.29	55.00	72.00	89.00
1 TR 800		0.8m	1.58	60.00	77.00	94.00
1 TR 1000		1.0m	1.88	65.00	81.00	97.00
1 TR 2000		2.0m	3.35	98.00	131.00	164.00
1 TR 3000		3.0m	4.83	134.00	184.00	234.00
1 TR 4000		4.0m	6.30	176.00	242.00	308.00
1 TR 5000		5.0m	7.78	219.00	301.00	383.00
Quad		1 QD 200	0.2m	0.93	55.00	75.00
	1 QD 400	0.4m	1.32	61.00	80.00	99.00
	1 QD 600	0.6m	1.71	71.00	91.00	111.00
	1 QD 800	0.8m	2.11	79.00	99.00	119.00
	1 QD 1000	1.0m	2.50	85.00	105.00	125.00
	1 QD 2000	2.0m	4.47	127.00	166.00	205.00
	1 QD 3000	3.0m	6.43	175.00	234.00	293.00
	1 QD 4000	4.0m	8.43	229.00	308.00	387.00
	1 QD 5000	5.0m	10.37	284.00	383.00	482.00

## Curved Lengths

Format	Code	Length	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
Ladder	1 LD C 2000	2.0m	2.00	132.00	158.00	184.00
Truss	1 TR C 2000	2.0m	3.35	229.00	262.00	295.00
Quad	1 QD C 2000	2.0m	4.47	270.00	309.00	348.00

## Truss Junctions

Code	Description	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
<b>2 Way</b>					
1 TR J2 45	45° Apex Up/Down	1.60	83.00	99.00	115.00
1 TR J2 45A	45° Apex In	1.60	83.00	99.00	115.00
1 TR J2 60	60° Apex Up/Down	1.60	83.00	99.00	115.00
1 TR J2 60A	60° Apex In	1.60	83.00	99.00	115.00
1 TR J2 120	120° Apex Up/Down	1.50	65.00	81.00	97.00
1 TR J2 120A	120° Apex In	1.50	65.00	81.00	97.00
1 TR J2 135	135° Apex Up/Down	1.50	65.00	81.00	97.00
1 TR J2 135A	135° Apex In	1.50	65.00	81.00	97.00
1 TR J2 90	90° Apex Up/Down	1.50	65.00	81.00	97.00
1 TR J2 90A	90° Apex In	1.50	65.00	81.00	97.00
1 TR J2 90AO	90° Apex Out	1.50	65.00	81.00	97.00

## Truss Junctions (continued)

Code	Description	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
<b>3 Way</b>					
1 TR J3 1L	90° Left Apex Down	1.70	108.00	124.00	140.00
1 TR J3 1R	90° Right Apex Down	1.70	108.00	124.00	140.00
1 TR J3 2	90° Apex Up/Down	1.70	108.00	124.00	140.00
1 TR J3 3	90° Apex Down	1.70	108.00	124.00	140.00
1 TR J3 4	90° Apex Down	1.70	108.00	124.00	140.00
1 TR J3 4DL	90° Apex Down	1.70	108.00	124.00	140.00
1 TR J3 45	45° Apex Down	1.80	108.00	124.00	140.00
1 TR J3 60	60° Apex Down	1.80	108.00	124.00	140.00
1 TR J3 120	120° Apex Down	1.70	108.00	124.00	140.00
1 TR J3 135	135° Apex Down	1.70	108.00	124.00	140.00
<b>4 Way</b>					
1 TR J4 1	90° Apex Up/Down	2.60	133.00	150.00	167.00
1 TR J4 2L	90° Left Apex Down	2.60	133.00	150.00	167.00
1 TR J4 2R	90° Right Apex Down	2.60	133.00	150.00	167.00
1 TR J4 3	90° Apex Down	2.60	133.00	150.00	167.00
1 TR J4 3DL	90° Apex Down	2.60	133.00	150.00	167.00
1 TR J4 4	90° Apex Down	2.60	133.00	150.00	167.00
<b>5 Way</b>					
1 TR J5 1	90° Apex Down	3.00	164.00	180.00	196.00
1 TR J5 2	90° Apex Down	3.00	164.00	180.00	196.00
<b>6 Way</b>					
1 TR J6 1	90° Apex Down	3.50	200.00	217.00	234.00

## Ladder Junctions

Code	Description	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
<b>2 Way</b>					
1 LD J2 45V	45° Vertical	1.06	39.00	52.00	65.00
1 LD J2 45H	45° Horizontal	1.06	39.00	52.00	65.00
1 LD J2 60V	60° Vertical	1.06	39.00	52.00	65.00
1 LD J2 60H	60° Horizontal	1.06	39.00	52.00	65.00
1 LD J2 90V	90° Vertical	1.00	33.00	46.00	59.00
1 LD J2 90H	90° Horizontal	1.00	33.00	46.00	59.00
1 LD J2 120V	120° Vertical	1.00	33.00	46.00	59.00
1 LD J2 120H	120° Horizontal	1.00	33.00	46.00	59.00
1 LD J2 135V	135° Vertical	1.00	33.00	46.00	59.00
1 LD J2 135H	135° Horizontal	1.00	33.00	46.00	59.00
<b>3 Way</b>					
1 LD J3 V	90° Vertical	1.13	55.00	68.00	81.00
1 LD J3 VL	90° Vertical	1.13	55.00	68.00	81.00
1 LD J3 H	90° Horizontal	1.13	55.00	68.00	81.00
<b>4 Way</b>					
1 LD J4 V	90° Vertical	1.73	66.00	79.00	92.00
1 LD J4 H	90° Horizontal	1.73	66.00	79.00	92.00
<b>5 Way</b>					
1 LD J5 V	90° Vertical	2.00	82.00	96.00	110.00
<b>6 Way</b>					
1 LD J6 V	90° Vertical	2.33	99.00	112.00	125.00

## Quad Junctions

Code	Description	Weight (kg)	Natural	Powder/ Polished	Polished & Lacquered
<b>2 Way</b>					
1 QD J2 45	45° Universal	2.13	105.00	124.00	143.00
1 QD J2 60	60° Universal	2.13	105.00	124.00	143.00
1 QD J2 90	90° Universal	2.00	85.00	105.00	125.00
1 QD J2 120	120° Universal	2.00	85.00	105.00	125.00
1 QD J2 135	135° Universal	2.00	85.00	105.00	125.00
<b>3 Way</b>					
1 QD J3 1	90° Universal	2.26	140.00	160.00	180.00
1 QD J3 2	90° Universal	2.26	140.00	160.00	180.00
<b>4 Way</b>					
1 QD J4 1	90° Universal	3.46	173.00	193.00	213.00
1 QD J4 2	90° Universal	3.46	173.00	193.00	213.00
<b>5 Way</b>					
1 QD J5	90° Universal	4.00	213.00	233.00	253.00
<b>6 Way</b>					
1 QD J6	90° Universal	4.66	260.00	279.00	298.00

## Accessories

Code	Description	Natural	Powder/ Polished	Polished & Lacquered
1A LD HOM1	Ladder Hook on Module	44.00	57.20	65.20
1A LD HOM2	Ladder Hook on Module	44.00	57.20	65.20
1A TR HOM1	Truss Hook on Module	77.00	93.50	105.40
1A TR HOM2	Truss Hook on Module	77.00	93.50	105.40
1A QD HOM1	Quad Hook on Module	99.00	118.80	134.70
1A LD PU	Ladder Pod Unit	27.50	40.70	48.70
1A TR PU	Truss Pod Unit	49.50	66.00	77.90
1A QD PU	Quad Pod Unit	60.50	80.30	96.20
1A LD PUNC	Ladder Pod Unit + Connector	33.00	46.20	57.80
1A TR PUNC	Truss Pod Unit + Connector	64.90	81.40	98.90
1A QD PUNC	Quad Pod Unit + Connector	82.50	102.30	121.80
1A LD PUAUF	Ladder Pod + Adjustable Foot	49.50	62.70	70.70
1A TR PUAUF	Truss Pod + Adjustable Foot	71.50	88.00	99.50
1A QD PUAUF	Quad Pod + Adjustable Foot	104.50	124.30	140.20
1A BP2	Ladder Base Plate	22.00	26.40*	-
1A BP3	Truss Base Plate	33.00	39.05*	-
1A BP3T	Triangular Truss Base Plate	33.00	39.05*	-
1A BP4	Quad Base Plate	41.80	47.85*	-
1A EBP2	Extended Ladder Base Plate	27.50	33.80	40.10
1A EBP3	Extended Truss Base Plate	38.50	48.30	58.10
1A EBP4	Extended Quad Base Plate	47.00	59.90	72.80
1A WBP2	Ladder Wall Plate	28.00	32.40*	-
1A WBP3	Truss Wall Plate	44.00	50.05*	-
1A WBP4	Quad Wall Plate	48.00	54.05*	-
1A AF1	Adjustable Foot (±50mm)	21.00	-	-
1A AK4	4mm A/F Allen Key	2.90	-	-
1A BS1	Blind Spigot	9.00	-	-
1A CHS	Cap Head Screws	0.18	-	-
1A CB0.5	0.5m Corner Brace	35.20	39.60	43.30
1A CB1	1m Corner Brace	38.50	46.20	56.50
1A CC	Grey Plastic Clic Clip	1.40	-	-

## Accessories (continued)

Code	Description	Natural	Powder/ Polished	Polished & Lacquered
1A CL1	Vertical Panel Support	-	1.05**	-
1A CL2	Horizontal Panel Support	-	0.95**	-
1A CL3	Chrome Clip for Glass Shelf	1.50	-	-
1A CL4	Clear Plastic Shelf Clip	2.85	-	-
1A CL5	Heavy Duty Parallel Clamp	14.50	13.75**	-
1A CL6	Light Duty Parallel Clamp	6.80	6.50**	-
1A EC1B	Plastic End Cap (Black)	0.55	-	-
1A EC1W	Plastic End Cap (White)	0.55	-	-
1A EC1C	Plastic End Cap (Chrome)	0.55	-	-
1A FS1	Chrome Wall/Floor Socket	2.00	-	-
1A HAC	Half Coupler	11.00	-	-
1A LEC	Half Coupler with Lifting Eye	16.50	-	-
1A SWC	Swivel Coupler	22.00	-	-
1A FIC1	Fixed Coupler - 90°	22.00	-	-
1A FIC2	Fixed Coupler - Parallel	22.00	-	-
1A HC1	Short Hanging Clamp	3.30	4.50*	-
1A HC2	Long Hanging Clamp	3.90	5.30*	-
1A OR1	Outrigger	77.00	104.50	141.70
1A PC1	Panel Clip - Clear Plastic	2.70	-	-
1A PC2	Panel Clip - Chrome + 2 inserts	4.00	-	-
1A SH	'S' Hook	1.00	-	-
1A SB1	Shelf Bracket	6.90	-	-
1A SB2	Double Shelf Bracket	8.90	-	-
1A SCL1	Saddle Clamp - Steel	2.50	-	-
1A SCL2	Saddle Clamp - Clear Plastic	1.30	-	-
1A SCL3	Saddle Clamp - Black Plastic	1.30	-	-
1A SSP1	Split Spigot Connector	6.60	-	-
1A SSP2	Spacer Spigot 25/50/75/100mm	12.50	-	-
1A TR LCT	Truss Lectern	160.00	220.00	258.00

\* Available in Powder Coat but not Polished. \*\* Available Polished but not Powder Coat.


Optikinetics Ltd.  
**UK** 38 Cromwell Road  
 Luton LU3 1DN England  
 Phone +44 (0)1582 411413  
 Fax +44 (0)1582 400613  
 e-mail optiuk@optikinetics.com  
 Website www.optikinetics.com



Issued 29.04.2005

# UK Prices

1st May 2005



## Straight Lengths

Format	Code	Length	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
Ladder	2 LD 200	0.2m	0.98	29.00	44.00	59.00
	2 LD 400	0.4m	1.20	32.00	48.00	64.00
	2 LD 600	0.6m	1.59	35.00	50.00	65.00
	2 LD 800	0.8m	1.89	38.00	54.00	70.00
	2 LD 1000	1.0m	2.20	41.00	56.00	71.00
	2 LD 2000	2.0m	3.72	65.00	96.00	127.00
	2 LD 3000	3.0m	5.25	85.00	131.00	177.00
	2 LD 4000	4.0m	6.77	109.00	171.00	233.00
	2 LD 5000	5.0m	8.30	135.00	212.00	289.00
	2 LD 6000	6.0m	9.82	162.00	254.00	346.00
	2 LD 7000	7.0m	11.35	188.00	296.00	404.00
	2 LD 8000	8.0m	12.87	219.00	342.00	465.00
Truss	2 TR 200	0.2m	1.51	50.00	70.00	90.00
	2 TR 400	0.4m	2.03	57.00	76.00	95.00
	2 TR 600	0.6m	2.56	70.00	90.00	110.00
	2 TR 800	0.8m	3.09	75.00	95.00	115.00
	2 TR 1000	1.0m	3.61	80.00	100.00	120.00
	2 TR 2000	2.0m	6.24	122.00	162.00	202.00
	2 TR 3000	3.0m	8.86	167.00	227.00	287.00
	2 TR 4000	4.0m	11.45	219.00	298.00	377.00
	2 TR 5000	5.0m	14.11	271.00	370.00	469.00
	2 TR 6000	6.0m	16.74	322.00	441.00	560.00
	2 TR 7000	7.0m	19.36	377.00	516.00	655.00
	2 TR 8000	8.0m	21.99	441.00	599.00	757.00
Quad	2 QD 200	0.2m	2.01	65.00	90.00	115.00
	2 QD 400	0.4m	2.71	73.00	97.00	121.00
	2 QD 600	0.6m	3.41	91.00	115.00	139.00
	2 QD 800	0.8m	4.11	97.00	121.00	145.00
	2 QD 1000	1.0m	4.81	105.00	129.00	153.00
	2 QD 2000	2.0m	8.31	158.00	207.00	256.00
	2 QD 3000	3.0m	11.81	219.00	292.00	365.00
	2 QD 4000	4.0m	15.31	285.00	382.00	479.00
	2 QD 5000	5.0m	18.81	352.00	473.00	594.00
	2 QD 6000	6.0m	22.31	418.00	563.00	708.00
	2 QD 7000	7.0m	25.81	490.00	659.00	828.00
	2 QD 8000	8.0m	29.31	572.00	766.00	960.00

## Truss Junctions (continued)

Code	Description	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
<b>2 Way</b>					
2 TR J2 120	120° Apex Up/Down	2.50	80.00	100.00	120.00
2 TR J2 120A	120° Apex In	2.50	80.00	100.00	120.00
2 TR J2 135	135° Apex Up/Down	2.50	80.00	100.00	120.00
2 TR J2 135A	135° Apex In	2.50	80.00	100.00	120.00
2 TR J2 90	90° Apex Up/Down	2.50	80.00	100.00	120.00
2 TR J2 90A	90° Apex In	2.50	80.00	100.00	120.00
2 TR J2 90AO	90° Apex Out	2.50	80.00	100.00	120.00
<b>3 Way</b>					
2 TR J3 1L	90° Left Apex Down	3.20	134.00	154.00	174.00
2 TR J3 1R	90° Right Apex Down	3.20	134.00	154.00	174.00
2 TR J3 2	90° Apex Up/Down	3.20	134.00	154.00	174.00
2 TR J3 3	90° Apex Down	3.20	134.00	154.00	174.00
2 TR J3 4	90° Apex Down	3.20	134.00	154.00	174.00
2 TR J3 4DL	90° Apex Down	3.20	134.00	154.00	174.00
2 TR J3 45	45° Apex Down	4.80	154.00	174.00	194.00
2 TR J3 60	60° Apex Down	4.80	154.00	174.00	194.00
2 TR J3 120	120° Apex Down	3.20	134.00	154.00	174.00
2 TR J3 135	135° Apex Down	3.20	134.00	154.00	174.00
<b>4 Way</b>					
2 TR J4 1	90° Apex Up/Down	4.00	167.00	187.00	207.00
2 TR J4 2L	90° Left Apex Down	4.00	167.00	187.00	207.00
2 TR J4 2R	90° Right Apex Down	4.00	167.00	187.00	207.00
2 TR J4 3	90° Apex Down	4.00	167.00	187.00	207.00
2 TR J4 3DL	90° Apex Down	4.00	167.00	187.00	207.00
2 TR J4 4	90° Apex Down	4.00	167.00	187.00	207.00
<b>5 Way</b>					
2 TR J5 1	90° Apex Down	4.40	208.00	228.00	248.00
2 TR J5 2	90° Apex Down	4.40	208.00	228.00	248.00
<b>6 Way</b>					
2 TR J6 1	90° Apex Down	6.70	251.00	271.00	291.00

## Ladder Junctions

Code	Description	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
<b>2 Way</b>					
2 LD J2 45V	45° Vertical	2.73	52.00	67.00	82.00
2 LD J2 45H	45° Horizontal	2.73	52.00	67.00	82.00
2 LD J2 60V	60° Vertical	2.73	52.00	67.00	82.00
2 LD J2 60H	60° Horizontal	2.73	52.00	67.00	82.00
2 LD J2 90V	90° Vertical	1.66	44.00	59.00	74.00
2 LD J2 90H	90° Horizontal	1.66	44.00	59.00	74.00
2 LD J2 120V	120° Vertical	1.66	44.00	59.00	74.00
2 LD J2 120H	120° Horizontal	1.66	44.00	59.00	74.00
2 LD J2 135V	135° Vertical	1.66	44.00	59.00	74.00
2 LD J2 135H	135° Horizontal	1.66	44.00	59.00	74.00

### 3 Way

2 LD J3 V	90° Vertical	2.13	62.00	77.00	92.00
2 LD J3 VL	90° Vertical	2.13	62.00	77.00	92.00
2 LD J3 H	90° Horizontal	2.13	62.00	77.00	92.00

### 4 Way

2 LD J4 V	90° Vertical	2.66	76.00	91.00	106.00
2 LD J4 H	90° Horizontal	2.66	76.00	91.00	106.00

## Curved Lengths

Format	Code	Length	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
Ladder	2 LD C 2000	2.0m	3.72	139.00	169.00	199.00
Truss	2 TR C 2000	2.0m	6.24	277.00	317.00	357.00
Quad	2 QD C 2000	2.0m	8.31	329.00	377.00	425.00

## Truss Junctions

Code	Description	Weight (kg)	Natural	Powder/Polished	Polished & Lacquered
<b>2 Way</b>					
2 TR J2 45	45° Apex Up/Down	4.10	103.00	123.00	143.00
2 TR J2 45A	45° Apex In	4.10	103.00	123.00	143.00
2 TR J2 60	60° Apex Up/Down	4.10	103.00	123.00	143.00
2 TR J2 60A	60° Apex In	4.10	103.00	123.00	143.00

All prices are in GBP (Pounds Sterling) ex works and exclusive of VAT. OPTI reserve the right to alter prices and specification without notice.

## Ladder Junctions (continued)

Code	Description	Weight (kg)	Natural	Powder/ Polished	Polished & Lacquered
<b>5 Way</b>					
2 LD J5 V	90° Vertical	2.93	92.00	108.00	124.00
<b>6 Way</b>					
2 LD J6 V	90° Vertical	4.46	111.00	127.00	143.00

## Quad Junctions

Code	Description	Weight (kg)	Natural	Powder/ Polished	Polished & Lacquered
<b>2 Way</b>					
2 QD J2 45	45° Universal	5.46	127.00	151.00	175.00
2 QD J2 60	60° Universal	5.46	127.00	151.00	175.00
2 QD J2 90	90° Universal	3.33	105.00	129.00	153.00
2 QD J2 120	120° Universal	3.33	105.00	129.00	153.00
2 QD J2 135	135° Universal	3.33	105.00	129.00	153.00
<b>3 Way</b>					
2 QD J3 1	90° Universal	4.26	176.00	200.00	224.00
2 QD J3 2	90° Universal	4.26	176.00	200.00	224.00
<b>4 Way</b>					
2 QD J4 1	90° Universal	5.33	218.00	242.00	266.00
2 QD J4 2	90° Universal	5.33	218.00	242.00	266.00
<b>5 Way</b>					
2 QD J5	90° Universal	5.86	270.00	294.00	318.00
<b>6 Way</b>					
2 QD J6	90° Universal	8.93	326.00	350.00	374.00

## Accessories

Code	Description	Natural	Powder/ Polished	Polished & Lacquered
2A HA1	175mm Hook on Attachment	30.80	36.85	40.50
2A HA2	275mm Hook on Attachment	30.80	36.85	40.50
2A HA3	375mm Hook on Attachment	30.80	36.85	40.50
2A HA4	200mm Hook on Attachment	30.80	36.85	40.50
2A LD PU	Ladder Pod Unit	44.00	59.40	66.70
2A TR PU	Truss Pod Unit	82.50	102.30	114.20
2A QD PU	Quad Pod Unit	104.50	128.70	144.30
2A LD PUNC	Ladder Pod Unit + Connector	60.50	75.90	87.50
2A TR PUNC	Truss Pod Unit + Connector	99.00	118.80	134.30
2A QD PUNC	Quad Pod Unit + Connector	121.00	145.20	164.70
2A LD PUAUF	Ladder Pod + Adjustable Foot	66.00	81.40	89.40
2A TR PUAUF	Truss Pod + Adjustable Foot	104.50	124.30	136.20
2A QD PUAUF	Quad Pod + Adjustable Foot	126.50	150.70	166.60
2A LD HNG	Ladder Hinge	104.50	121.00	139.70
2A TR HNG	Truss Hinge	165.00	187.00	209.20
2A QD HNG	Quad Hinge	209.00	242.00	271.60
2A BP1	Single Tube Base Plate	18.70	22.55*	-
2A BP2	Ladder Base Plate	29.70	35.75*	-
2A BP3	Truss Base Plate	40.70	48.95*	-
2A BP3T	Triangular Truss Base Plate	40.70	48.95*	-
2A BP4	Quad Base Plate	46.20	54.45*	-

## Accessories (continued)

Code	Description	Natural	Powder/ Polished	Polished & Lacquered
2A EBP2	Extended Ladder Base Plate	33.00	39.05	46.30
2A EBP3	Extended Truss Base Plate	44.00	52.25	63.10
2A EBP4	Extended Quad Base Plate	49.50	57.75	72.20
2A WP2	Ladder Wall Plate	33.00	39.05*	-
2A WP3	Truss Wall Plate	44.00	52.25*	-
2A WP4	Quad Wall Plate	49.50	57.75*	-
2A CB1	1m Corner Brace	43.60	54.45	70.00
2A CB2	2m Corner Brace	49.80	63.40	80.40
2A AF1	Adjustable Foot (± 50mm)	23.00	-	-
2A BS1	Blind Spigots	16.50	-	-
2A CC	Clic Clip	4.00	-	-
2A HAC	Half Coupler	16.00	-	-
2A LEC	Half Coupler with Lifting Eye	20.00	-	-
2A SWC	Swivel Coupler	34.00	-	-
2A FIC1	Fixed Coupler 90°	35.00	-	-
2A FIC2	Fixed Coupler Parallel	35.00	-	-
2A SPC1	Panel Coupler	18.20	-	-
2A EB	M10 Eye Bolt (SWL 250kg)	10.80	-	-
2A OR1	Outrigger	73.00	93.50	133.80
2A EC1 B	Plastic End Cap (Black)	0.80	-	-
2A EC1 W	Plastic End Cap (White)	0.80	-	-
2A EC1 C	Plastic End Cap (Chrome)	1.50	-	-
2A QP1	Quick Release Pin	2.35	-	-
2A RC1	Reinforcing Collar	2.35	-	-
2A SB1	Shelf Bracket	7.75	-	-
2A SB2	Double Shelf Bracket	9.75	-	-
2A HC1	Short Hanging Clamp	3.50	4.50*	-
2A HC2	Long Hanging Clamp	4.35	5.30*	-
2A SC1	Spring Clip	3.20	-	-
2A SC2	Spring Clip Panel Style	3.20	-	-
2A SD1	Saddle Clamp	3.85	5.50*	-
2A SP1	Spigot Connector (+Bolts)	7.35	-	-
2A SSP 50	50mm Spacer Spigot (+Bolts)	16.00	19.00	22.60
2A SSP 100	100mm Spacer Spigot (+Bolts)	18.00	21.45	25.10
2A NB1	Nut and Bolt Set	0.22	-	-
2A FLE	Flooring Extrusion	Price on application		
2A LIT1	Literature Rack	71.50	121.00	177.10
2A BH1	A4 Brochure Holder	25.00	-	-
2A TR LCT	Truss Lectern	195.00	258.50	298.90

\* Available in Powder Coat but not Polished. \*\* Available Polished but not Powder Coat.

Optikinetics Ltd.

**UK** 38 Cromwell Road  
Luton LU3 1DN England  
Phone +44 (0)1582 411413  
Fax +44 (0)1582 400613  
e-mail optiuk@optikinetics.com  
Website www.optikinetics.com



Issued 29.04.2005